PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7:

A1

(11) International Publication Number:

WO 00/55744

G06F 13/00

(43) International Publication Date: 21 September 2000 (21.09.00)

(21) International Application Number:

PCT/US00/07023

(22) International Filing Date:

17 March 2000 (17.03.00)

(30) Priority Data:

60/125,040

18 March 1999 (18.03.99)

US

(71) Applicant (for all designated States except US): DANR IN-CORPORATED [US/US]; 108 Sycamore, P.O. Box 548, Gaston, IN 47342 (US).

(72) Inventor; and

(75) Inventor/Applicant (for US only): WOOD, Michelle, D. [US/US]; 242 West Beverly Drive, Indianapolis, IN 46208

(74) Agents: BROWNING, Clifford, W. et al.; Woodard, Emhardt, Naughton, Moriarty & McNett, Bank One Center/Tower, 111 Monument Circle, #3700, Indianapolis, IN 46204 (US).


(81) Designated States: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published

With international search report.

Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of

(54) Title: METHOD AND APPARATUS TO DISTRIBUTE PHOTOGRAPHY OVER THE INTERNET



(57) Abstract

An enhanced Web server provides the ability to transmit and store digital photography from a remote computer using FIP. The system also has a mass storage device attached, such as a CD-ROM tower, which stores digital photography. An end user interface allows a user to view and download the stored digital photography and to display the photography on a Web browser on Web pages. A point-and-click user interface allows an end user to easily and quickly access the photography over the Internet.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

ı	AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
1	AL AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
١	AM AT	Austria	FR	France	·LU	Luxembourg	SN	Senegal
ı	AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
١		Australia Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
١	AZ	Azeroaijan Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
١	BA	-	GH	Ghana	MG	Madagascar	TJ	Tajikistan
	BB	Barbados	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
١	BE	Belgium	GR	Greece		Republic of Macedonia	TR	Turkey
1	BF	Burkina Faso	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
١	BG	Bulgaria	IE	Ireland	MN	Mongolia	UA	Ukraine
1	BJ	Benin	IL	Israel	MR	Mauritania	UG	Uganda
١	BR	Brazil	. IL IS	Iceland	MW	Malawi	US	United States of America
1	BY	Belarus	IS IT		MX	Mexico	UZ	Uzbekistan
١	CA	Canada		Italy	NE.	Niger	VN	Viet Nam
ı	CF	Central African Republic	JP	Japan	NL	Netherlands	YU	Yugoslavia
ļ	CG	Congo	KE	Kenya	NO	Norway	zw	Zimbabwe
1	СН	Switzerland	KG	Kyrgyzstan	NZ	New Zealand		
	CI	Côte d'Ivoire	KP	Democratic People's	PL	Poland		
	CM	Cameroon		Republic of Korea	PT	Portugal		
	CN	China	KR	Republic of Korea	RO	Romania		
	CU	Cuba	KZ	Kazakstan	RU RU	Russian Federation		
	CZ	Czech Republic .	LC	Saint Lucia		Sudan		
	DE	Germany	LI	Liechtenstein	SD			
	DK	Denmark	LK	Sri Lanka	SE	Sweden		
	EE	Estonia	LR	Liberia	SG	Singapore		
	ļ							
	ı							

METHOD AND APPARATUS TO DISTRIBUTE PHOTOGRAPHY OVER THE INTERNET

This application claims the priority of co-pending U.S. Provisional Patent Application Serial No. 60/125,040.

This invention relates generally to distributing photography in a timely manner, to multiple people, in multiple locations; and more particularly to a Web server that receives and stores digital photography from remote computers over the Internet and that provides access to stored digital photography over the Internet in a friendly User Interface.

10

5

BACKGROUND OF THE INVENTION

In the prior art, the distribution of photographs entailed either the direct delivery or mailing of photographs in either print, negative or electronic/digital formats (on CD-ROM's). The photographs were sent to individual contacts.

Problems involved with the prior art methods of distributing photography included:

- 1. The length of time from when a photograph was taken to the time it was received by the contact.
- 2. The photographs were often not shared with other resources at each contact location.
- 3. Contacts then needed to redistribute the photographs to internal and external sources.
 - 4. Problems with end-user's knowledge of, or their computer equipment for using, CD-ROM's, for example.

15

Brief Summary of Invention

The present invention provides an Internet-based solution for distributing digital photography. A Web server stores images that are directly transmitted to its hard drive from a remote computer using FTP, or can access images from an attached mass storage multi-bay CD-ROM Tower. A User Interface has been developed through a Web browser and Web pages that allow the end user to access the Web server over the Internet from any location at any time. Photographs stored on the server or the CD-ROM Tower are displayed on the Web pages, which provides a friendly User Interface (UI) and view/download of the images. The web server addresses the problems experienced in the prior art by providing the following:

- Images can be transmitted to the server directly from photography events. This allows users to connect to the Internet and access and download the photographs for immediate use.
- The system supports multiple users from any location. This eliminates
 the need to redistribute photography to external (e.g., media) or
 internal personnel within a photography client's organization, for
 example.
 - a. This system enables large corporate photography clients with multiple office locations domestically and internationally to access and utilize photography from any location.
 - b. International and domestic media are able to access the photography immediately for publication and news reporting.
- 3. Using the Internet as the mean of storing and distributing the photography eliminates any lack of technical knowledge or special computer hardware/software setup (e.g., a CD-ROM, graphics software) by the end user.
- 4. Users can easily navigate through a graphical point and click interface using a Web browser. They can view and choose photographs from a collection of over 800 images stored on the server.

It is an object of the present inv ntion to provide

15

10

5

20

25

10

15

20

25

3

A storage device:

- 1. To electronically transmit digital photography to the storage device from anywhere in the world.
 - 2. To hold CD-ROM's that contained digital photographic images.

A User Interface:

- 1. To provide access to the digital photographs (both transmitted and CD-ROM photographs).
- 2. To support multiple computer Operating System (OS) platforms (i.e. Macintosh, PC).
- 3. To support multiple simultaneous users accessing the digital photography from anywhere in the world.
- 4. To be easy to use and easy to navigate and find the digital photography they needed.
 - 5. Easy to retrieve (or download) the digital photographs.

One embodiment of the present invention is a method for distributing photography over the Internet, comprising, providing a Web server having means to receive and store digital photography transmitted from a remote user's computer; connecting to the Web server a mass storage device having means to store digital photography; and interfacing the Web server, the mass storage device, and an end user with a point-and-click end user interface means that displays and downloads digital photography stored on the Web server and mass storage device with a Web browser on Web pages.

Another embodiment of the present inventions is an apparatus to distribute photography over the Internet, comprising, a Web server having means to receive and store digital photography transmitted from a remote user computer; a mass storage device connected to the Web server having means to store digital photography; and means to provide a point-and-click end user interface that displays and downloads digital photography stored on the Web server and the mass storage device with a Web browser on Web pages.

Brief Description of Drawings:

	FIGURE 1;	Diagram of the internal architecture and connectivity of the server system.
_	FIGURE 2:	Diagram of the external architecture and connectivity. This also display how the server is connected to the Internet.
5	77.07.17.7	A screen shot of the Domain Name Service (DNS) Manager. This
	FIGURE 3:	
		is to display the actual setting and configuration of DNS. A screen shot of the Remote Access Service (RAS) Configuration
	FIGURE 4:	
10		window. This window displays how the RAS server is configured to
10		hand remote user dialing in directly to the server through the
		modem.
	FIGURE 5:	This screen shot displays how the CD-ROM's are added to the
		WWW Service of the Internet Information Server's (IIS) to allow a
		Web page to access the CD-ROM.
15	FIGURE 6:	This screen shot display how the CD-ROM drives are added to the
		FTP Service of IIS to allow an FTP navigation of the contents
		through a Web browser.
	FIGURE 7:	This is a screen shot of the Photo Gallery page in a Web browser.
		It displays the "CD-Rom's" and the "From the Track" sections.
20	FIGURE 8:	A screen shot of the Web page (cde.asp) that loads all of the
		thumbnail images from the E:\ CD-Rom drive.
	FIGURE 9:	A screen shot of the high resolution .jpg image that is loaded from
		the CD-ROM drive when the user clicks on a thumbnail image
		(refer to Figure 8 for which thumbnail was clicked).
25	FIGURE 10:	A dowload window appears on the screen when a user chooses the
		"Download Image" link. The "Dowload Image" link is associated
		with the thumbnail image that is display above the link.
	FIGURE 11:	A screen shot of the FTP session that is loaded into the Web
		browser when the user chooses a Race Name in the "From the
30		Track" section of the Photo Gallery. The client folders are displayed
		which are used to organize all of the images that are transmitted to
		the s rver.

5

FIGURE 12: A screen shot of FTP session opening and displaying the contents of a Race Name folder. The image file names are displayed for the user to view in the Web browser and to download.

FIGURE 13: A screen shot of one of the .jpg images (listed in a race folder shown in Figure 12) loaded into a Web browser.

10

6

Detailed Description of the Preferred Embodiment

Dan Boyd is a photographer for the Fed Ex CART Racing Series. Mr. Boyd's client base is composed of teams, corporations and individuals involved in the racing series. His job is to photograph CART racing events and to provide the photographs to his client for internal and media use. The following example is based upon Mr. Boyd's photography needs.

In order to better understand the preferred embodiment to date of the present invention, the first thing to address is the physical system itself. The system consists of a Web server, a CD-ROM tower, a 56K modem, a router and a Universal Power Supply (UPS) back up.

The Web Server:

Hardware:

Internal:

Server Tower Case Dual Motherboard 15 Pentium II 266 Processor 4.3 Gb SCSI Hard Drive 128 Mb Memory (2) SCSI Controller card 20 24x CD-CD-ROM's (2) Floppy Drive **Network Card** Sound Card Video Card 25 External: 15" monitor Keyboard Mouse 56K Modem Cisco 776 Router 30 **UPS SmartUPS 620**

7

Software:

MS Backoffice Small Business Server (with Service Pack 3)

NT Server 4.0

Internet Information Server 3.0

Proxy Server

SQL Server

Exchange Server

Index Server

MS Site Server Express

Internet Explorer 4.01

Cisco Fast Step

The CD-ROM Tower:

(6) 24x CD-ROM's

Connectivity:

5

10

15

20

There are several hardware/software configuration combinations available for implementing a server with a dedicated connection to the Internet. Due to the various options for establishing a Web server on the Internet, the combination that was chosen for the preferred embodiment to date was based on financing available and previous successful experience with the technology. Elaborate detail on the exact steps performed is not set forth in detail due to the vast amount of options available in establishing a Web server. It is more vital to address the process and results that this Web server performs. Included are some specifications of the Web server configuration in order to provide a complete understanding of the way this system operates and produces the end result.

Internal Connectivity (Figure: 1):

- 1. The Web server has two internal SCSI controller cards.
 - a. One controller card handles the hard drive and two of the CD-ROM's.
 - b. The second controller card handles the other 6 CD-ROM's that are connected through a SCSI cable to the CD-ROM tower case.
- 2. Connected to the COM1 port of the server is the 56K external modem.
- 3. The network interfac card (NIC) in the server connects to the router through an Ethernet cable.

30

25

- 4. The NT-1 port on the router is connected to the ISDN jack which is then handled by the TELCO carrier.
- 5. The modern is connected to a phone line jack on the router.

External Connectivity (Figure: 2):

5

10

15

20

25

The Web server has a dedicated ISDN connection to the Internet through a local Internet Service Provider (ISP). The Domain Name danrphotos.com (208.150.70.210) was registered with InterNIC as an Internet domain and then was recorded in the Domain Name Server (DNS) of the ISP. This allows requests from the Internet to be routed to the ISP and then sent to the server in order to provide users access to the Web site. (Note: When a Remote Connection is made with the server, the phone number dialed is the phone number of the second (2nd) ISDN Data Channel.)

Dialing into the Server:

A dial in connection is used to send images to the hard drive of the server. The necessities for establishing a remote connection to the server are a computer with a modem and an analog or data phone line. The phone number of the ISDN line is dialed, which is answered by the router and then sent to the modem that is attached to the phone jack on the router. The modem then takes over and handles the communication between the remote computer and the server using Remote Access Services (RAS). The user is required to authenticate with the server using a valid username and password. FTP software is used to transfer files from the remote computer to the server.

Server Configuration:

In addition to the basic OS installation, the following additional services must be enabled in the 'Network Properties' Dialog Box:

DHCP Relay Agent

DNS Server

Remote Access Service

RIP for Internet Protocol

30 Services for Macintosh

9

TCP/IP Configuration:

5

The TCP/IP protocol is enabled and configured with a static IP address (given by the Internet Service Provider (ISP) and registered with InterNIC). The default Gateway is the IP address of the Cisco Router that is connected to the server. Three DNS Servers listed (the servers DNS IP and two from the ISP's).

DNS Server Configuration (Figure: 3):

A primary zone "danrphotos.com.dns" was added with the following record types added:

	<u>Name</u>	<u>Type</u>	<u>Data</u>		
10	danrphotos.com	NS	danr.DRPI		
	danrphotos.com	NS	ns1.oaktee.NET (the		
ISI	P's Name Server)				
	danrphotos.com	SOA			
	danr.DRPI.Administrat	danr.DRPI.Administrator.DRPI.			
15	danrphotos	Α	208.150.70.210		

RAS (Remote Access Server)(Figure: 4):

The 56K modem is assigned to RAS to allow a direct Dial-In connection with the server. This allows photos to be directly transmitted to the server using FTP software on a client computer. RAS is configured as follows:

20 Network Configuration:

Dial Out Protocol: TCP/IP

Server Settings

TCP/IP(Configuration:

Access this computer only

Use static address pool

Allow remote client to request predetermined IP)

Internet Information Server Configuration (Figure: 5):

WWW Service

25

30

The driv letters for each CD-ROM and the folder "c:\inetpub\ftproot\pub" were added as virtual directories to the WWW s rvice. (e.g.,

http://www.danrphotos.com/e was the alias path to the E:\ CD-ROM drive.) This was to enable sharing from NTFS security and for IIS to be able to access the information on the CD-ROM's. All of the Web pages were saved under the WWWroot directory (c:\inetpub\wwwroot).

5 FTP Service (Figure: 6):

10

15

20

25

30

Under the FTP service, a virtual directory was added for each CD-ROM drive letter and the "pub" folder, the same way as was done under the WWW service (e.g., FTP://ftp.danrphotos.com/e was the virtual directory path for the E:\
[CD-ROM] drive). Folders were created under the FTP directory for each race name to allow the images transmitted to the server to be categorized and organized. This also provides the end user accessing the FTP site the ability to easily navigate and find the photographs they are looking for (e.g., C:\inetpub\ftproot\pub\[race name]). Under each race name folder another folder was created for each end user group accessing the service. The purpose of this folder was to expand on the ease of user navigation through the FTP site.

The User Interface:

The User Interface (UI) is a series of Web pages that allow the user to navigate to the stored photography through a Web browser. The series of Web pages combine to form a Web site in which the photographs on the CD's and the hard drive (transmitted photographs) are available for the user to view and download. Security has been implemented by means of a user login page which requires the user to enter their username and the password. (Note: for simplicity, there is only one password that will allow users to enter the photography section.) The password is given to users who are authorized to access and use the photographs. Apart from the photography pages (Photo Gallery) any user can access the Web site from the Internet by typing in the URL (http://www.danrphotos.com).

For the purpose of this disclosure, only a detailed description of the photo gallery section which provides the solution to distributing photography needs to be provided.

The Photo Gallery:

5

10

15

20

25

30

The main page of the Photo Gallery is divided into two (2) navigation sections: "CD-ROM's" and "From the Track". Behind the scenes, there are some pages that were developed to automate the Photo Gallery and make it easy to maintain. The following is a list of the behind the scene's pages and how they pertain to the Web site.

races.txt: A text file that contains the names of all of the races (e.g., "Homestead," "Detroit," "Portland"). These race names are pulled from the photogall.asp page when it loads and then written to the page in HTML format. They are displayed on the photogall.asp page in the "From the Track" section. This allows the race names to be updated in one location (usually done once a year at the beginning of a new CART race season).

racenames.inc: This is a text document that contains Visual Basic programming code and executes a process which determines the two (2) current race names to display in the "CD's" section of the Photo Gallery. The 2 race names are chosen according to the current date (see Appendix A.2).

photosE.txt: A text document that contains a list of the image names on the CD in the E:\ (drive) (e.g., 24hmst01, 24hmst02, 24hmst03...).

photosF.txt: A text document that contains a list of the image names on the CD in the F:\ (drive) (e.g., 25seb39, 25hst02, 25hst03 . . .).

photosG.txt: A text document that contains a list of the image names on the CD in the G:\ (drive) (e.g., 24 hmstd 7, 24hmstd0, 24hmstd1 . . .).

photosH.txt: A text document that contains a list of the image names on the CD in the H:\ (drive) (e.g., 18hmst01, 18hmst02, 18hmst03 . . .).

photosl.txt: A text document that contains a list of the image names on the CD in the I:\ (drive) (e.g., 17hmst76, 17hmst02, 17hmst03...).

photosJ.txt: A text document that contains a list of the image names on the CD in the J:\ (drive) (e.g., 44hmst10, 04hmst02, 04hmst03...).

photosK.txt: A text document that contains a list of the image names on the CD in the K:\ (drive) (e.g., 27hou17, 01hou02, 01hou03 . . .).

photosL.txt: A text document that contains a list of the image names on the CD in the L:\ (drive) (e.g., 98hou74, 98hou02, 98hou03 . . .).

10

15

20

25

Creating the CD text documents:

The importance of creating a text document for each CD is to enable the Web page to read the image names from the text file and to write those image names to the page. In order for the image to be available on the Web site, the image names in the text file *MUST* correspond exactly to the images found on the CD. This step needs to be performed when the CD's in the CD-ROM tower change (in this situation it happens when new CD's are added after each race). The text documents (cde.txt, cdf.txt, etc.) are updated each time a CD is added or removed.

Previously, the files containing the names of the images would have to be written in a text document manually (typing or copying each file name). A wizard was written in Visual Basic that retrieves all of the file names on the CD's and writes the image names to the appropriate text file (e.g., all of the image names on the E:\ would be saved to the file cde.txt). The wizard automates this process and makes it easy to change, add or remove CD images from the Web site.

Contents of the CD-ROM's

The first photography section of the Web server includes a mass storage device (in this case a CD-ROM tower) that stores all of the images. This system presently has 8 CD-ROM bays available to store CD's. The CD's contain 75 - 100 images in digital file formats. There are three (3) different versions of each image stored on a CD in the following file types:

<u>Tiff (.tif, .tiff)</u> - 8 Mb size file. This image provides a high resolution, high file size version of the image for use in billboard quality and high resolution publication.

<u>JPG</u> (.jpg, .jpeg) - 100 Mb to 250 Mb file size. This image provides a high resolution, medium file size version of each image that is used for magazine, newspaper and standard publication type uses.

Thumbnail JPG (.jpg, .jpeg) - 3 Mb to 10 Mb file size. This image is a small resolution, small file size that is used to display a thumbnail (small version) of each image. This image is what is displayed for browsing and navigation through the photographs. It can also be used for Web site, low quality publication.

Viewing th Phot Gall ry in a W b browser (Figure: 7):

The main Photo Gallery page is named photogall.asp. When this page is opened into the Web browser, it executes server-side programming (VB Script) that performs a couple of tasks (see Appendix A.11).

5

- 1. It retrieves the username and password and verifies that a user name has been entered along with the correct password "server99."
- 2. The raceNames.txt file is opened to retrieve the appropriate race names to display in the "CD's" section.

3. The races.txt file is opened and all of the race names are written to a table in the "From the Track" section of the page.

10

15

After executing the scripts in the photogall.asp page, the server writes the results in the page as text and sends the page to the user's browser. The race names that are displayed on the page are links that take the user to another Web page to view the images. In the "CD-ROM's" section the thumbnail (.jpg's) are displayed on the page. In the "From the Track" section a File Transfer Protocol (FTP) site is opened in the browser where the image file names can be viewed.

The "CD-Rom's" Section (Figures: 8, 9, 10):

An active server page with sever-side programming script was developed for each CD (relative to the CD-ROM drive the files are named cdE.asp, cdF.asp, cdG.asp, etc.) (see Appendix A.12). When the user selects a CD, the appropriate link to an .asp page opens the text file and read/writes the image names into the Web page in several places:

25

20

(Note: When a user chooses the name of the CD-ROM E, the ASP page named cdE.asp is opened. The cdE.asp reads the image names from the text file name photosE.txt.)

- In an which creates
 a link to the high resolution .jpg version of the image.
- 2. In an which displays the thumbnail version of the image on the Web page for viewing.

30

3. In another along with the word "Download Image" which crates a link that executes a download of the Tiff version of the image.

4. And finally the imag name retrieved is written in text to the page so the image name can be associated with the thumbnail and "Download Image".

The user can scroll through the page and view all of the thumbnail version of the images on the Web page. Clicking on a thumbnail image will open the larger .jpg version of the image in the Web browser. Clicking the "Download Image" link under each photograph will open a download session of the 8 Mb .Tiff version of the image. The user can choose a location on their computer to save the image and the browser will download that image to their computer.

10 The "From the Track" Section (Figures 11, 12, 13):

5

15

20

When the user clicks on a race name in the "From the Track" section of the Photo Gallery page, an FTP session is opened in the Web browser. The user is taken to the directory of the race name in the FTP root of the Web server. (e.g., If the user clicks on the race name "Homestead" they are taken to the FTP directory Homestead - C:\inetpub\ftproot\pub\Homestead). The user then selects a client directory that was established to organize and categorize the images. Clicking on a client folder will open that folder and display the images that are transmitted remotely to the server from each race. By creating a link to the FTP directories from the Web pages, the images transmitted from a race are immediately available to the end user. The image is opened in the Web browser for the user to view. The "From the Track" section will soon include transmitting a thumbnail version of each image. This will eliminate the FTP directory navigation and will enable the incorporation of the technology used in the "CD's" section to display a thumbnail version of all of images in a Web page.

15

Appendix

A. 2 Racenames.inc

<% Dim raceNow

IF date > CDate("6/3/98") AND date < CDate("6/12/98") THEN raceNow= "Detroit" End IF

IF date > CDate("6/17/98") AND date < CDate("6/23/98") THEN raceNow="Portland"

End IF

IF date > CDate("7/8/98") AND date < CDate("7/13/98") THEN raceNow= "Cleveland"

IF date > CDate("7/15/98") AND date < CDate("7/20/98") THEN raceNow= "Toronto" End If

IF date > CDate("7/22/98") AND date < CDate("7/27/98") THEN raceNow= "Michigan" End IF

IF date > CDate("8/5/98") AND date < CDate("8/10/98") THEN raceNow= "MidOhio"

End IF

IF date > CDate("8/12/98") AND date < CDate("8/17/98") THEN raceNow= "Elkhart"

End IF

IF date > CDate("9/2/98") AND date < CDate("9/7/98") THEN raceNow= "Vancouver" End IF

IF date > CDate("9/9/98") AND date < CDate("9/14/98") THEN raceNow= "Monterey"

End IF

IF date > CDate("9/30/98") AND date < CDate("10/5/98") THEN raceNow= "Houston"
End IF

IF date > CDate("10/14/98") AND date < CDate("10/19/98") THEN raceNow= "Gold Coast"

End IF

IF date > CDate("10/28/98") AND date < CDate("11/3/98") THEN raceNow= "Fontana"

End IF

varraceNow = raceNow

%>

%

Appendix

```
A. 2 cont.
```

```
Dim race!
<%
       Dim race2
       IF date1 > CDate("5/13/98") AND date1 < cDate("6/12/98") THEN
               race 1="Milwaukee"
               race2="Madison"
       End IF
       IF date1 > CDate("6/11/98") AND date1 < cDate("6/23/98") THEN
               race |= "Detroit"
               race2= "Milwaukee"
       End IF
       IF date1 > CDate("6/23/98") AND date1 < cDate("7/14/98") THEN
               racel = "Portland"
               race2= "Detroit"
       End IF
 IF date1 > CDate("7/15/98") AND date1 < cDate("7/21/98") THEN
               racel = "Cleveland"
       race2= "Portland"
       End IF
       IF date1 > CDate("7/21/98") AND date1 < cDate("7/28/98") THEN
               racel = "Toronto"
               race2= "Cleveland"
       End IF
       IF date1 > CDate("7/28/98") AND date1 < cDate("8/12/98") THEN
               racel = "Michigan"
               race2= "Toronto"
       End If '
       IF date1 > CDate("8/12/98") AND date1 < cDate("8/18/98") THEN
               racel = "MidOhio"
               race2= "Michigan"
       End IF
       IF date1 > CDate("8/19/98") AND date1 < cDate("9/16/98") THEN
               race ! = "Elkhart"
               race2= "MidOhio"
      End IF
       IF date1 > CDate("9/17/98") AND date1 < cDate("9/19/98") THEN
               race != "Vancouver"
               race2= "Elkhart"
       End IF
       IF date1 > CDate("9/20/98") AND date1 < cDate("10/7/98") THEN
               race | = "Monterey"
```

SUBSTITUTE SHEET (RULE 26)

Appendix

A. 2 cont.

```
race2= "Vancouver"
               End IF
              IF date1 > CDate("10/7/98") AND date1 < cDate("10/20/98") THEN
                       race i = "Houston"
                       race2= "Monterey"
              End IF
              IF date1 > CDate("10/21/98") AND date1 < cDate("2/28/99") THEN
                       race != "Gold Coast"
                       race2= "Houston" ____
               End IF
               'IF date1 > CDate("12/5/98") AND date1 < cDate("12/26/98") THEN
                       'racel = "Fontana"
                       'race2= "Gold Coast"
               End IF
       %>
A. 11 photogall.asp
        <%@ LANGUAGE="VBSCRIPT" %>
        <%
               request.querystring("txt_username")
               request.querystring("txt_password")
                   If request querystring("txt_password") \diamond "server99" THEN
                        Response.Redirect("prereg2.asp")
                   End If
       %>
       <HTML>
       <head>
       link rel="stylesheet" type="text/css" href="linkstyle.css">
       </head>
       <title>Photo Gallery</title>
       <body bgcolor="#000000" text="#FFFFFF" link="#000000" vlink="#000000"</pre>
       alink="#FFFF00">
       <!-#INCLUDE FILE="topnav.asp"->
       <!-#INCLUDE FILE="racenames.inc"-->
```

Appendix

```
<center>
             <font size=5 color="#FFCC00"><b>"CD-Rom's"</b></font><br
              (CD's of the past two races) <br>
              <br/>
<br/>
font size=5><a
      href="racel.asp?racel=<%=racel%>">b>>%=racel%></b>/a></font>br>
              <font size=5><a
      href="race2.asp?race2=<%=race2%>"><b><%=race2%></b></a></font>
             ></center>
      <br>
      <%
      Set FileObject = Server.CreateObject("Scripting.FileSystemObject")
      Set Instream = FileObject.OpenTextFile (Server.MapPath ("races.txt"), 1, FALSE, FALSE)
      <center>
      <center><font size="5" color="#FFCC00"><b>"From the Track"</b></font><br/>br>
             (Photos sent from the race)</center><br>
             .<%
            x=5
            i=0
            Do
            race = Instream.ReadLine
            If i = x THEN
              x = x+5 %>
      <%
            If race = "End" Then Exit Do
            <a href="ftp://danrphotos.com/pub/<%=race%>">
             <font size=4><b><%Response.Write(race)%></b></font></a>
            %
            i = i + 1
            Loop While 1
      %>
      </u>
      </center>
      <!--#INCLUDE FILE="foot.htm"->
      </BODY>
      </HTML>
A. 12 cdE.asp *E (Note: for the other CD-ROM's F:\ through L:\ the appropriate drive letter
```

A. 12 cd E.asp *E (Note: for the other CD-ROM's F:\ through L:\ the appropriate drive letter is replaced to create the cdF.asp, cdG.asp, etc.)

Appendix

```
<%@ LANGUAGE="VBSCRIPT" %>
      k rel="stylesheet" type="text/css" href="linkstyle.css">
      <BODY bgcolor="#000000" text="#FFFFFF" link="#000000" vlink="#000000"
      alink="#FFFF00">
      <center><font size="5" color="#FFFFFF"><b>Spring Training</b></font>
      <font face="Arial Narrow" size="2" color="#FFCC00">Click on an image to
      view a larger size. <br>
      </font>
      </center>
      <%
      Set FileObject = Server.CreateObject("Scripting.FileSystemObject")
      Set Instream = FileObject.OpenTextFile (Server.MapPath ("photosE.txt"), 1, FALSE, FALSE)
      %>
      <t
            </a>
            %
            x=4
            Dim i
            i= 0
            Dim imageno
            imageno = i
            Do
            image = Instream.ReadLine
            If i = x THEN
             x = x+4 %>
      <%
            End if
            If image = "End" Then Exit Do
            %>
            <a href = "/E/Files_a/<%=image%>.jpg"><img src =
      "/E/files_b/<%=image%>.jpg"></a><br>
              <font size=2><b><%Response.Write(image)%></b></font><br/>br>
              <a href = "/E/<%=image%>">Download Image</a>
            <%
            i = i + 1
            Loop While 1
      %>
      </html>
```

What is claimed is:

 A method for distributing photography over the Internet, comprising, providing a Web server having means to receive and store digital photography transmitted from a remote user's computer;

connecting to the Web server a mass storage device having means to store digital photography; and

interfacing the Web server, the mass storage device, and an end user with a point-and-click end user interface means that displays and downloads digital photography stored on the Web server and mass storage device with a Web browser on Web pages.

2. An apparatus to distribute photography over the Internet, comprising, a Web server having means to receive and store digital photography transmitted from a remote user computer;

a mass storage device connected to the Web server having means to store digital photography; and

means to provide a point-and-click end user interface that displays and downloads digital photography stored on the Web server and the mass storage device with a Web browser on Web pages.

5

15

10




FIGURE: 1




FIGURE: 2




FIGURE: 3




FIGURE: 4




FIGURE: 5




FIGURE: 6




FIGURE: 7




FIGURE: 8




FIGURE:9




FIGURE: 10

10/11




FIGURE: 11




FIGURE: 12




FIGURE: 13

INTERNATIONAL SEARCH REPORT

International application No. PCT/US00/07023

	SIFICATION OF SUBJECT MATTER		
IPC(7) :	G06F 13/00 709/201		
According to	International Patent Classification (IPC) or to both n	ational classification and IPC	
	DS SEARCHED		
Minimum de	cumentation searched (classification system followed	by classification symbols)	
	709/200, 201, 203, 232, 250		
Documentati IEEE	ion searched other than minimum documentation to the e	extent that such documents are included	in the fields searched
STN WE	ata base consulted during the international search (name of the consulted during the international search (name of the consultation) and the consultation of the consu		, search terms used)
C. DOC	UMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where app	propriate, of the relevant passages	Relevant to claim No.
Y,P	US 6,035,323 A (NARAYEN ET AL. Abstract, Figs. 2 and 4-14E, Col. 2 Lin Col. 5 Line 26, Col. 6 Line 28 - Col. 5	nes 34-60, Col. 4 Line 26 -	1-2
Y,E	US 6,058,428 A (WANG ET AL.) 02 Figs. 3-5B, Col. 5 Line 1 - Col. 6 Line		1-2
Y,P	US 6,018,774 A (MAYLE ET AL.) 2: and 10-17, Col. 2 Line 29 - Col. 3 Lin	5 JANUARY 2000, Figs. 1 to 10.	1-2
A	US 5,706,502 A (FOLEY ET AL.) (Abstract.	06 JANUARY 1998, Title,	1-2
A	US 5,760,917 A (SHERIDAN) 02 JUN	NE 1998, Title, Abstract.	1-2
X Furt	her documents are listed in the continuation of Box C		
٠٨٠ ٩	*A* document defining the general state of the art which is not considered the principle or theory underlying the invention		
1	be of particular relevance artier document published on or after the international filing date	"X" document of particular relevance; to considered novel or cannot be considered.	he claimed invention cannot be ered to involve an inventive step
·L• 4	comment which may throw doubts on priority claim(s) or which is ited to establish the publication date of another citation or other	when the document is taken alone	he claimed invention cannot be
۱ •	pecial reason (as specified) comment referring to an oral disclosure, use, exhibition or other	considered to involve an inventive	eh documents, such combination
	comment reterring to an oral distinctive, and, statement of the comment published prior to the international filling date but leter then	being obvious to a person skilled in "A" document member of the same pate	the art
	he priority date claimed c actual completion of the international search	Date of mailing of the international a	
Date of the		03 AUG 2000	-
Commiss	mailing address of the ISA/US ioner of Patents and Trademarks	Authorized officer	71.44
Box PCT Washing	ton, D.C. 20231	AHMAD MATAR	gni Hill
Pacsimile	No. (703) 305-3230	Telephone No. (703) 305-4731	

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US00/07023

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
7,P	CORCORAN ET AL. "Internet Enabled Digital Photography," AUGUST 1999, IEEE Transactions on Comsumer Electronics, Vol. 45, No. 3, Whole Document.	1-2
	·	
	*	